

SAFETY DATA SHEET

Issuing Date No data available	Revision Date 17-Dec-2014	Revision Number :0
1. IDENTIFICATION OF THE SUB	STANCE/PREPARATION AND TH	E COMPANY/UNDERTAKING
GHS product identifier		
Product Name	Rustlick EDM 250	
Other means of identification		
Synonyms	None	
Recommended use of the chemical	and restrictions on use	
Recommended Use	Dielectric oil	
Uses advised against	No information available	
<u>Manufacturer</u>		
Manufacturer Name/Address/Phon	e Number	
ITW Pro Brands 616 East Industrial Street DeWitt, IA 52742 TEL: 1-800-241-8334 for US/ +1 770-243-8800 outside US		
Emergency telephone number		
Emergency Telephone		

Number

CHEMTREC: 1-800-424-9300 for US/ 703-527-3887 outside US

2. HAZARDS IDENTIFICATION

Classification

This chemical is considered hazardous according to the OSHA Hazard Communication Standard 2012 (29 CFR 1910.1200)

Aspiration Toxicity	Category 1
---------------------	------------

GHS Label elements, including precautionary statements

Emergency Overview

Signal Word	Warning	
Hazard StatementsMay be fatal if swallowed	and enters airways	
Appearance: Clear	Physical State: Liquid	Odor: Nearly odorless



Precautionary Statements

- Prevention
- None

General Advice

None

Ingestion

- If SWALLOWED immediately call a POISON CENTER or doctor/physician.
- Do NOT induce vomiting.

Storage

• Store locked up.

Disposal

• Dispose of contents/container to an approved waste disposal plant.

Hazard Not Otherwise Classified (HNOC)

Not applicable

Other information

Prolonged skin contact may defat the skin and produce dermatitis <0.1% of the mixture consists of ingredient(s) of unknown toxicity.

3. COMPOSITION / INFORMATION ON INGREDIENTS

Chemical Name	CAS-No	Weight %	Trade secret
Petroleum distillates, hydrotreated light	64742-47-8	30-60	*
Technical white oil	8042-47-5	30-60	*

*The exact percentage (concentration) of composition has been withheld as a trade secret.

4. FIRST AID MEASURES

Description of necessary first-aid measures

Eye Contact	IF IN EYES: Rinse cautiously with water for at least 15 minutes. Get
	medical advice/attention if irritation persists.
Skin Contact	Wash skin with soap and water. Get medical attention if irritation
	persists.
Inhalation	If experiencing respiratory symptoms: Call a POISON CENTER or
	doctor/physician.
Ingestion	IF SWALLOWED: Call a physicial or POISON CENTER immediately. Do
-	NOT induce vomiting.

Most important symptoms/effects, acute and delayed

Most Important Symptoms/Effects Difficulty in breathing.

Indication of immediate medical attention and special treatment needed, if necessary

Notes to Physician

Treat symptomatically. Aspiration hazard.



5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable Extinguishing Media None

Specific Hazards Arising from the Chemical

May burn if exposed to high temperature. Use water spray to cool unopened containers.

Hazardous Combustion Products

Carbon oxides, Hydrocarbons.

Explosion DataSensitivity to Mechanical ImpactNone.Sensitivity to Static DischargeNone.

Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal Precautions	Ensure adequate ventilation.
Environmental Precautions	
Environmental Precautions	Prevent entry into waterways, sewers, basements or confined areas. Do not flush into surface water or sanitary sewer system. See Section 12 for additional Ecological Information.
Methods and materials for containment	and cleaning up
Methods for Containment	Dike to collect large liquid spills.
Methods for Cleaning Up	Dam up. Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Sweep up and shovel into suitable containers for disposal.
7.	HANDLING AND STORAGE
Precautions for safe handling	
Handling	Ensure adequate ventilation. Wash thoroughly after handling.

Handling	Ensure adequate ventilation. Wash thoroughly after handling	
Conditions for safe storage, including any incompatibilities		
Storage	Keep container tightly closed.	

Incompatible Products

Strong oxidizing agents.



8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Control parameters

Exposure Guidelines

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Petroleum distillates, hydrotreated light 64742-47-8	TWA: 5 mg/m3 STEL: 10 mg/m3 (as oil mist)	TWA: 5 mg/m3 (as oil mist)	-

ACGIH TLV: American Conference of Governmental Industrial Hygienists - Threshold Limit Value. OSHA PEL: Occupational Safety and Health Administration - Permissible Exposure Limits. NIOSH IDLH: Immediately Dangerous to Life or Health.

Appropriate engineering controls

Engineering Measures	Showers Eyewash stations Ventilation systems
Individual protection measures, su	uch as personal protective equipment
Eye/Face Protection	Safety glasses with side-shields. If splashes are likely to occur, wear: Goggles.
Skin and Body Protection	Protective gloves.
Respiratory Protection	If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Positive-pressure supplied air respirators may be required for

Hygiene Measures

When using, do not eat, drink or smoke. Provide regular cleaning of equipment, work area and clothing.

high airborne contaminant concentrations. Respiratory protection must be provided in accordance with current local regulations.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical State	Liquid	Appearance	Clear
Odor	Near odorless	Odor Threshold	No information available
Property Ph Melting Point/Range Boiling Point/Boiling Range Flash Point Evaporation rate Flammability (solid, gas)	Values Not applicable No data availa 243 °C / 469 ° >93 °C / >200 <1 No data availa	able F °F	Remarks/ - Method None known None known None known PMCC None known None known
Flammability Limits in Air upper flammability limit	No data availa	able	



lower flammability limit Vapor Pressure	No data available No data available	
Vapor Density	>1	Ν
Specific Gravity	0.81	Ν
Water Solubility	Insoluble in water.	N
Solubility in other solvents	No data available	N
Partition coefficient: n-octanol/water	No data available	N
Autoignition Temperature	No data available	N
Decomposition Temperature	No data available	N
Viscosity	No data available	N
Viscosity, kinematic	No data available	N
Flammable Properties	Not flammable	
Explosive Properties	No data available	
Oxidizing Properties	No data available	
Other information		
VOC Content	493 g/l	

None known None known None known None known None known None known None known

10. STABILITY AND REACTIVITY

Reactivity

No data available.

Chemical stability

Stable under recommended storage conditions.

Possibility of hazardous reactions

None under normal processing.

Hazardous Polymerization

Hazardous polymerization does not occur.

Conditions to avoid

High temperatures.

Incompatible materials

Strong oxidizing agents.

Hazardous decomposition products

Carbon oxides, Hydrocarbons.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information	Product does not present an acute toxicity hazard based on known or supplied information.
Inhalation	There is no data available for this product
Eye Contact	There is no data available for this product
Skin Contact	Prolonged skin contact may defat the skin and produce dermatitis.
Ingestion	May be fatal if swallowed and enters airways



Component Information

Chemical Name	LD50 Oral	LD50 Dermal	LC50 Inhalation
Petroleum distillates, hydrotreated middle	= 7400 mg/kg (Rat)	> 2000 mg/kg (Rabbit)	= 4.6 mg/L (Rat) 4 h
Petroleum distillates, hydrotreated light	> 5000 mg/kg (Rat)	> 2000 mg/kg (Rabbit)	> 5.2 mg/L (Rat) 4 h

Symptoms related to the physical, chemical and toxicological characteristics

Symptoms

Difficulty in breathing.

Delayed and immediate effects and also chronic effects from short and long term exposure

Sensitization Mutagenic Effects Carcinogenicity	No information available. No information available. Contains no ingredients above reportable quantities listed as a carcinogen.
Reproductive Toxicity	No information available.
STOT - single exposure	No information available.
STOT - repeated exposure	No information available.
Aspiration Hazard	May be fatal if swallowed and enters airways.

Numerical measures of toxicity – Product

Acute Toxicity

<0.1% of the mixture consists of ingredient(s) of unknown

toxicity.

The following values are calculated based on chapter 3.1 of the GHS document:LD50 Oral7480 mg/kg; Acute toxicity estimate

12. ECOLOGICAL INFORMATION

Ecotoxicity

The environmental impact of this product has not been fully investigated.

Chemical Name	Toxicity to Algae	Toxicity to Fish	Toxicity to Microorganisms	Daphnia Magna (Water Flea)
Petroleum distillates, hydrotreated light 64742-47-8		LC50 96 h: =45 mg/L flow- through (Pimephales promelas) LC50 96 h: = 2.2 mg/L static (Lepomis macrochirus) LC50 96 h: = 2.4 mg/L static (Oncorhynchus mykiss)		LC50 96 h: = 4720 mg/L (Den- dronereides heteropoda)

Persistence and Degradability Bioaccumulation

No information available. No information available.

Other Adverse Effects

No information available.



	13. DISPOSAL CONSIDERATIONS
Waste Disposal Methods	This material, as supplied, is not a hazardous waste according to Federal regulations (40CFR 261). This material could become a hazardous waste if it is mixed with or otherwise comes in contact with a hazardous waste, if chemical additions are made to this material, or if the material is processed or otherwise altered. Consult 40 CFR 261 to determine whether the altered material is a hazardous waste. Consult the appropriate state, regional, or local regulations for additional requirements.
Contaminated Packaging	Do not re-use empty containers.
	14. TRANSPORT INFORMATION
DOT	Not regulated
<u>TDG</u>	Not regulated.
MEX	Not regulated
	15. REGULATORY INFORMATION
International Inventories	

International Inventories	
TSCA	Complies
DSL	Complies

Legend

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

U.S. Federal Regulations

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

SARA 311/312 Hazard Categories	
Acute Health Hazard	Yes
Chronic Health Hazard	No
Fire Hazard	No
Sudden Release of Pressure Hazard	No
Reactive Hazard	No

<u>Clean Water Act</u> This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40CFR 122.42):

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302):



U.S. State Regulations

California Proposition 65

This product does not contain any Proposition 65 chemicals.

U.S. State Right-to-Know Regulations

None

U.S. EPA Label Information

EPA Pesticide Registration Number Not applicable

16. OTHER INFORMATION				
<u>NFPA</u>	Health Hazard 1	Flammability 1	Instability 0	Physical and
<u>HMIS</u>	Health Hazard 1	Flammability 1	Physical Hazard 0	Chemical Hazards - Personal Protection X

Prepared By

ITW Pro Brands 616 East Industrial Street DeWitt, IA 52742 TEL: 1-800-241-8334 for US/ +1 770-243-8800 outside US

Revision Date	17-Dec-2014
Revision Note	No information available.

General Disclaimer

The information provided on this SDS is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.

End of Safety Data Sheet

